Final bill

Recorded on:- 28/11/2023

M. A. R. 57 (Rule 116)

Measurement Book

No. E ERT Cost:-25.00/Lakhs

Work order NO:- BBMP/EE/YNK.D/EPMT-12/W.O/113/2022-23 497248

Serial No. .....

Name of work Improvements to drains at B Sector and Surrounding areas in Ward no-05 Yelahanka New Town Sub division. Date 09/02/2023

Name of Contractor or nature of Agency SRI. B.R.MOHAN NO-10 1st B main, 4th Cross, Sweetwater wall Road, chikkabommasandra, yelahanka New Town, Bangalore-560064.

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	① Earth work excavation by manual means for drains, Canals, costewin, draft approach channels key trenches, foundation of bridges and such similar works in all kinds of soils as per drawing and technical Specifications including setting out, shoring, stuffing barricading, caution lights, removal of stumps and other deleterious matter, excavated surface levelled and sides neatly dressed disposing off the excavated stuff on sorting & stacking the selected stuff for reuse in various reaches of 50m and lift up to 1.5m including cost of labour, tools & other appurtenances etc as per Specifications. Quantity vide, As per pre-measurement are Recorded in this MB and page no of:- 497281-82:- 275.90 m³ CRS. 316.00 87184.40						

Contents | Reference to last Measurement

7 | 8

e: 003-23-00013

BRN: 39/23-24

Dt: 31/11/23

3858 000=00

392=00 By Cheque

608=00 By adjustment

Exe. Engineer yelahanka Division BBMP

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(2) Providing and laying in position plain Cement Concrete levelling Course for all coarses in foundation. The granite /trap/basalt Crushed graded coarse aggregates and fine aggregates as per relevent IS Codes machine mixed, laid in layers not exceeding 150 mm Thickness, well Compacted using plate vibrators including all lead & lift Cost of all materials of quality. labour, usage charges of machineries curing, and all the other appurtenances required to Complete the work as per technical specifications.						
	Quantity vide, As per pre-measurement above Recorded in this MB and page no of:- 497282-84:					41.18 m³	
						CRS. 5773.00	23773

OOK

Depth 6	Contents 7
laim Cement Con... foundation. The ... aggregates and ... ks machine mixe... n Thickness, well... ding all lead & li... labour, usage charg... e other appurtenan... er technical spe...	
...rementore 3 ...497282-84-41.18m 2377...	
S. 5773.00	

M. A. R. 57 (Rule 116)
Measurement Book

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

497249

Date 1	Full description, etc, of work 2	Number 3	Dimensions Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	(3) Supplying, Fitting and placing yen-Coated TMT bar Reinforce ment in Sub-Structure Complete as per drawing and technical speficiation. Quantity vide AB per pre-measurementore Recorded in This onB and page no of:-497284-85:- 5.93 Tonnes CRS. 95810.00						5,29,829.30
	(4) Providing and laying in position Reinforced cement Concrete for all Sub Structures of building, Irrigation works, Sub structure works of bridges, Drain works & other parallel						

(4)
CC.

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	works from 0.50m to 3.50m height. The granite/trap/basalt Crushed graded Coarse aggregates and fine aggregates as per relevant IS Codes machine mixed with Super plasticisers laid in layers, well Compacted using needle vibrators, providing weep holes wherever necessary, including all lead & lifts, Cost of all materials of quality, Confirming to the requirements of relevant IS Codes labour, usage charges of machinery, Curing and all other appurtenances required to Complete the work as per technical Specifications.						
	RCC drain Bottom Concrete :-						
	2nd B main Road HS:	1	30.00	0.90	0.15	4.05	
		1	30.00	0.90	0.15	4.05	

M. A. R. 57 (Rule 116)
Measurement Book

No. E 497250

Serial No .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Number	Dimensions: Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
		1	30.00	0.90	0.15	4.05	
		1	30.00	0.90	0.15	4.05	
	2nd 'B' main Road Hs:-	1	30.00	0.90	0.15	4.05	
		1	30.00	0.90	0.15	4.05	
		1	30.00	0.90	0.15	4.05	
	14th 'B' Cross, Hs:	1	5.00	0.90	0.15	0.67	
	culvert, Raft Concrete:-	1	27.80	0.90	0.15	3.75	
		1	5.60	1.20	0.20	1.34	
	Sidewalls:-	2	30.00	0.15	0.60	5.40	

MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		2	30.00	0.15	0.60	5.40	
		2	30.00	0.15	0.60	5.40	
		2	30.00	0.15	0.60	5.40	
	2nd B main Road, HS:-	2	30.00	0.15	0.60	5.40	
		2	30.00	0.15	0.60	5.40	
		2	30.00	0.15	0.60	5.40	
		2	5.00	0.15	0.60	0.90	
	14th B Cross HS:-	2	27.80	0.15	0.60	5.00	
	Culvert, Side walls:-	2	5.60	0.20	0.60	1.34	
	Approach Concrete for Houle Side:-						
	2nd B main Road HS:-	1	30.00	0.15	0.15	0.67	

M. A. R. 57 (Rule 116) No. E
Measurement Book
497251

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Number	Dimensions: Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
		1	30.00	0.15	0.15	0.67	
		1	30.00	0.15	0.15	0.67	
		1	30.00	0.15	0.15	0.67	
	2nd B main Road Hs:-	1	30.00	0.15	0.15	0.67	
		1	30.00	0.15	0.15	0.67	
		1	30.00	0.15	0.15	0.67	
		1	5.00	0.15	0.15	0.11	
	Road Side:- 14th B Cross:-	1	27.80	0.15	0.15	0.62	
	2nd B main Road Hs:-	1	30.00	0.40	0.15	1.80	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.00	0.40	0.15	1.80	
		1	30.00	0.40	0.15	1.80	
		1	30.00	0.40	0.15	1.80	
	2nd 'B' moiyan Road Hs:-	1	30.00	0.40	0.15	1.80	
		1	30.00	0.40	0.15	1.80	
		1	30.00	0.40	0.15	1.80	
		1	5.00	0.40	0.15	0.30	
	14th 'B' Gowri:-	1	27.80	0.40	0.15	1.66	
	culvert Approach Concrete:	2	5.60	0.60	0.12	0.80	
						99.93 cm	3
					@ Rs.	6513.00	6,50,844.09

OOK

Depth 6	Contents 7
0.15	1.80
0.15	1.80
0.15	1.80
0.15	1.80
0.15	1.80
0.15	1.80
0.15	0.30
0.15	1.66
0.12	0.80
	99.93 m3
	Rs. 6513.00

M. A. R. 57 (Rule 116)
Measurement Book

No. E
497252

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	(5) Providing and fixing precast reinforced cement concrete Covering slabs of 10cm thick grade of M25 with opc cement @340kg/cum with 20mm and down size graded granite metal coarse aggregate @0.7cum and fine aggregate & 0.4cum with superplasticizer machine mixed including providing and removing centering, shuttering, struting propping etc, for edges of slabs with TOR steel (Fe500) cost of all materials, labour, all lead and lift upto machinery curing including cost of reinforcement etc. complete as directed by the engineer in charge of the work.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Covering slabs :- 2nd 'B' main Road H.side :-						
		1	30.00	0.90	-	27.00	
		1	30.00	0.90	-	27.00	
		1	30.00	0.90	-	27.00	
		1	30.00	0.90	-	27.00	
		1	30.00	0.90	-	27.00	
		1	30.00	0.90	-	27.00	
		1	30.00	0.90	-	27.00	
		1	5.00	0.90	-	4.50	
	14th 'B' Cross :-	1	27.80	0.90	-	25.02	
						218.52 m²	

Contents	Reference to last Measurement
7	1
c.:	
27.00	
27.00	
27.00	
27.00	
27.00	
27.00	
27.00	
4.50	
25.02	
218.52 m²	

M. A. R. 57 (Rule 116)
Measurement Book

No. E

497253

Serial No .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(-) Deductions for Bs slab portions						
		1	13.80	0.90	-	12.42	
		1	9.40	0.90	-	8.46	
		1	6.05	0.90	-	5.44	
		1	13.90	0.90	-	12.51	
		1	12.40	0.90	-	11.16	
		1	4.40	0.90	-	3.96	
		1	5.35	0.90	-	4.81	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	5.80	0.90	-	5.22	
		1	6.50	0.90	-	5.85	
		1	9.90	0.90	-	8.91	
		1	3.30	0.90	-	2.97	
		1	12.00	0.90	-	10.80	
						92.57 m2	
	Net quantity :- 218.52 m² − 92.57 m² = 126.00 m²						
	⑥ Providing RS slabs of selected quality roughly dressed					CRS. 1958.00	2,46,708.00

Contents	Reference to last Measurement
7	8
5.22	
5.85	
8.91	
2.97	
10.80	
92.57 m2	
126.00 m2	
1958.00	

lity roughly de

M. A. R. 57 (Rule 116) No. E
Measurement Book

Serial No .....

Name of work ..... From ..... To .....

497254

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Number	Dimensions: Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	having a size of 10 cm Thick and fixed in cement mortar (1:6) including fixing curing etc complete as directed by the engineer in charge of the work.						
	BS slab covering slabs Dressing :-						
	2nd & main Road HB:	1	13.80	0.90	-	12.42	
		1	9.40	0.90	-	8.46	
	Cafe	1	6.05	0.90	-	5.44	
		1	13.90	0.90	-	12.51	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	C&F R/C	1	12.40	0.90	-	11.16	
		1	4.40	0.90	-	3.96	
		1	5.35	0.90	-	4.81	
		1	5.80	0.90	-	5.22	
		1	6.50	0.90	-	5.85	
		1	9.90	0.90	-	8.91	
		1	3.30	0.90	-	2.97	
		1	12.00	0.90	-	10.80	
	Limited to modified Quantity :-			87.48 m^2		92.51 m^2	
					@Rs.	790.97	69,194.05

Contents 7	Reference to last Measurement 8
11.16	
3.96	
4.81	
5.22	
5.85	
8.91	
2.97	
10.80	
92.51 m²	69/9/15
490.97	

M. A. R. 57 (Rule 116)
Measurement Book

No. E

497255

Serial No. .....

Name of work .....

Name of Contractor of nature of Agency..... From ..... To .....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Number 3	Dimensions: Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	(7) Providing machine cutting edges to BS slab 2.5 cm wide as per Specifications. Only chamfered length shall be reckoned) inclusive of all leads complete as directed by the engineer in charge of the work. 2nd II main Road H/S:- Quantity vide item no: (6) :- 92.52 m²						
	:- 92.52 m² / 0.90 = 102.80 Rmtr						
	:- 102.80 rmtr / 0.62 = 165.80 nos						
	Say:- 166 nos						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		166 m/s x 2 Side x			0.90 =	298.80 Rmtr	110,122.74
						CRS. 368.55	
	(8) Providing and fixing pre Cast Covring Slab 230mm Thick made out of cc 1:1:5:3 and jelly 20mm Down Size with Steel reinforcement including formes cowrk, Curing including Cost of all materials labour hire charges of machinery, loading unloading lead and lift, transportation etc Complete as per engineer incharge cowrk.						
		9	1.20	0.60	-	6.48 m²	30,844.61
						CRS. 4759.97	
	(9) Cost of Haulage Excluding loading and unloading						

OK

Depth 6	Contents 7	
0.90 =	298.80	Rate
CRS.	368.55	
ing	slab 2	
200m	Down Rise	
forms	cooly,	
ur hire	charges	
oad and	lift,	
rmer in	charge	
-	6.48 m²	
CRS.	4759.97	
ng and	unloading	

M. A. R. 57 (Rule 116)
Measurement Book

No. E

497256

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Taking output lot load and lead 10 Kms = 100 t.Kms. Steel per specifications.						
	Quantity vide item no:-① 275.90 m^3						
	∴ 275.90 m^3 × 1.28 = 353.15 TKm						
	@ RS. 100.00						35315.00
					Total RS:-		19,97,774.33
					Add 18% of GST RS:-		3,59,599.37
					Grand Total RS:-		23,57,373.70

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಎಂಜಿನಿಯರ್
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ,
ಜಿ.ಬಿ.ಎ.ಎ. ಬೆಂಗಳೂರು-106

28/12/2023

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	CERTIFICATE:-						
	1) Certified that the above work done is Satisfactory Completed.						
	2) Certified that the debries have been cleared to Site.						
	ಸಹಾಯಕ ಕಾರ್ಯ [illegible] ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ, ಜಿ.ಜಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-106						

M. A. R. 57 (Rule 116)
Measurement Book

No. E 497257

Serial No .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8

B' Section

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	1st and 2 Final	3	4	5	6	7	8
	Gross Amt = Rs 2357373 = 00						
	FSD = Rs 117869 = 00						
	CGST = Rs 19978 = 00						
	SGST = Rs 19978 = 00						
	IT = Rs 23574 = 00						
	LC = Rs 23574 = 00						
	CBF = Rs 2357 = 00						
	penalty Royalty = Rs 6575 = 00						
	245000 = 00						
	T.D. = Rs 238405 = 00						
	Net Amt = Rs 2118968 = 00						
	Job code : 005-23-000002						
	SBR No : 75/23-24						
	Date : 11/1/2024						
	Audited & Admitted for Rs 2357373 = 00						
	2118968 = 00						
	and Rs 238405 = 00						
	Asst. Engineer yelahanka Division BMP						
	Exe. Engineer yelahanka Division BBMP						

EMENT BOOK

Dimensions			
Length 4	Breadth 5	Depth 6	Contents 7

Pre-measurement

M. A. R. 57 (Rule 116)
Measurement Book

No. E 497281

rial No. .....
me of work ...Improvements to drainage at 'B' Sector and surrounding areas in ward no.05 Jakkuhanahalli Ward No. Team Sub division.
me of Contractor of nature of Agency ..... SRI. B.R. MOHAN .....
te of commencement of work .....

ate	Full description, etc, of work	Number	Dimensions: Length	Breadth	Depth	Contents	Reference to last Measurement
	2	3	4	5	6	7	8
	① Earth work excavation by manual means for drains canals, coaste weir, draft approach channels key trenches, foundation of bridges and such similar works in all kinds of soils as per drawing and technical specifications including setting out shoring strutting barricading caution lights removal of stumps and other deleterious mat-ter excavated surface levelled and sides neatly dressed disposing off the excavated stuff on sort ing & stacking the selected stuff for reuse in a radious						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	of 50mm and lift upto 1.5m including cost of labour, tools & other appurtenances required to complete the work. etc as per Specifications.						
	Rcc drain:- 2nd B main Road H/side.						
		1	30.00	1.10	1.00	33.00	
		1	30.00	1.10	1.00	33.00	
		1	30.00	1.10	1.00	33.00	
		1	30.00	1.10	1.00	33.00	
	2nd B main Road H/S:-	1	30.00	1.10	1.00	33.00	
		1	30.00	1.10	1.00	33.00	
		1	30.00	1.10	1.00	33.00	
		1	5.00	1.10	1.00	5.50	

REMENT BOOK

Dimensions			
Length 4	Breadth 5	Depth 6	Contents 7
.Sum including cost of required to complete			
Road H side.			
30.00	1.10	1.00	33.00
30.00	1.10	1.00	33.00
30.00	1.10	1.00	33.00
0.00	1.10	1.00	33.00
0.00	1.10	1.00	33.00
0.00	1.10	1.00	33.00
0.00	1.10	1.00	33.00
.00	1.10	1.00	5.50

M. A. R. 57 (Rule 116)
Measurement Book

No. E 497282

al No. .....
ie of work ..... From ..... To .....
ne of Contractor of nature of Agency.....
of commencement of work.....

e	Full description, etc. of work 2	Number 3	Dimensions Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	14th 'B' Gors:	1	27.80	1.10	1.00	30.58	
	Rcc Culvert:-	1	5.60	1.50	1.05	8.82	
	cqft					275.90 cm B	
	B=						

Pre-measurement

MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(2) Providing and laying in position plain cement concrete for levelling course for all coarse in foundation. The granite /trap/ basalt crushed graded coarse aggregates and fine aggregates as per relevant IS Codes machine mixed, laid in layers not exceeding 150mm thickness, well compacted using plate vibrators, including all lead & lifts, cost of all materials of quality, labour, usage charges of machineries, curing and all the other appurtenances required to complete the work as per technical Specifications.						
	Rec drain:- 2nd 'B' main Road H/sides						
		1	30.00	1.10	0.15	4.95	

Pre-measurement

ASUREMENT BOOK

Number 3	Length 4	Breadth 5	Depth 6	Contents 7
in position plain cement ll course in foundation, ded coarse aggregate relevant IS Code machine ding 150mm thickness, well , including all lead & quality, labour, usage co nd all the other appurt he work as per technical				
Road H/sides				
	30.00	1.10	0.15	4.95

M. A. R. 57 (Rule 116)
Measurement Book

No. E
497283

No. .....
of work ..... From ..... To .....
of Contractor of nature of Agency .....
of commencement of work .....

Full description, etc, of work 2	Number 3	Dimensions Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
2nd 'B' main Road H/s :- Cycle Track	1	30.00	1.10	0.15	4.95	
	1	30.00	1.10	0.15	4.95	
	1	30.00	1.10	0.15	4.95	
	1	30.00	1.10	0.15	4.95	
	1	30.00	1.10	0.15	4.95	
	1	30.00	1.10	0.15	4.95	
	1	5.00	1.10	0.15	0.82	
14th 'B' Cross	1	27.80	1.10	0.15	4.58	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	culvert:-	1	5.60	1.35	0.15	1.13	
						41.18 m³	

MENT BOOK

Dimensions			Contents
Length 4	Breadth 5	Depth 6	7
5.60	1.35	0.15	1.13
			41.18 m³

Pre-measurement

M. A. R. 57 (Rule 116)
Measurement Book

No. E

497284

rial No. ....

me of work ... Improvements to drains at 'B' Section and surrounding areas in ward no.05 yelahanka New Town Sub division.

me of Contractor of nature of Agency ..... SRI. B.R. MOHAN

te of commencement of work .....

ule	Full description, etc, of work	Number	Dimensions: Length	Breadth	Depth	Contents	Reference to last Measurement
	2	3	4	5	6	7	8
3	Supplying. Fitting and placing reinforcement in Sub-Structure Complete as per Drawing and technical Specifications. TMT bar Reinforce						
	Rec drain:- 2nd 'B' main Road H/side.						
	main Rods 10mm ϕ @ 10 cc	300	2.20			660.00	
		300	2.20			660.00	
		300	2.20			660.00	
		300	2.20			660.00	
	2nd 'B' main Road H/s	300	2.20			660.00	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		300	2.20 =	660.00			
		300	2.20 =	660.00			
		51	2.20 =	112.20			
	14th 'B' Gloss:-	279	2.20 =	613.80			
				5346.00 cm³ X 0.62 = 3314.52 kgs			
	Distributions & mm of (0.12 c/c)						
	2nd 'B' main Road HS:-	30	30.00	600.00			
		20	30.00	600.00			
		20	30.00	600.00			
		20	30.00	600.00			

EMENT BOOK

Dimensions			Contents
Length 4	Breadth 5	Depth 6	7
2.20 =	660.00		
2.20 =	660.00		
2.20 =	112.20		
2.20 =	613.80		
	5346.00 cmt x 0.62 = 3314		
12 c/c)			
0.00	600.00		
0.00	600.00		
.00	600.00		
.00	600.00		

M. A. R. 57 (Rule 116)
Measurement Book

No. E 497285

rial No. .....
me of work ..... From ..... To .....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work 2	Number 3	Dimensions: Length 4	Dimensions: Breadth 5	Dimensions: Depth 6	Contents 7	Reference to last Measurement 8
	2nd 'B' main Road Hs :-	20	30.00	600.00			
		20	30.00	600.00			
		20	30.00	600.00			
		20	4.90	98.00			
	14th 'B' Cross :-	20	27.70	554.00			
				4852.00 cmt x 0.39 = 1892.28 Kgs			
	Rcc Culvert :- main Rods	12 mm ϕ (0.12 c/c)					
	'U' Bars, outer Rods	48	2.40 =	115.20			

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Inner Rods :-	47	2.10 = 98.70				
				213.90 ಮೀ × 0.89 = 190.37 Kgs			
	Distributions 10 mm ϕ (0.15 c/c)						
	outer Rods	17	5.55 = 94.35				
	inner Rods	15	5.55 = 83.25				
	Supporting chairs	6	1.80 = 10.80				
	'U' Bars :	24	1.20 = 28.80				
				217.20 ಮೀ × 0.62 = 134.66 Kgs			
			∴	5531.83 Kgs / 1000 Kg	= 5.53 Tonnes	5531.83 Kgs	